RECEIVED CENTRAL FAX CENTER

2

JAN 1 7 2007

## In The Claims

Please amend the claims as follows:

- 1 1. (Previously presented) An integrated paper having active particles
- 2 immobilized therein, said integrated paper comprising of:
- a plurality of fibers fibrillated at a temperature greater than about 30°C, wherein
- 4 said fibrillated fibers have an average fiber diameter of less than about 1000
- 5 nm; and
- active agents selected from the group consisting of metals, metal salts, metal
- 7 oxides, alumina, carbon, activated carbon, silicates, ceramics, zeolites,
- 8 diatomaceous earth, activated bauxite, fuller's earth, calcium sulfate,
- 9 titanium dioxide, magnesia, magnesium hydroxide, magnesium oxide,
- manganese oxides, iron oxides, perlite, talc, clay, bone char, calcium
- 11 hydroxide, calcium salts, or combinations thereof,
- 12 wherein said integrated paper has a mean pore size of less than or equal to about 2
- 13 microns.
  - 1 2. (Original) An integrated paper of claim 1 wherein said fibrillated fibers
  - 2 comprise Lyocell.
- 1 3. (Previously presented) An integrated paper of claim 2 wherein the lyocell
- 2 has an average fiber diameter of less than about 400 nm.

- 1 4. (Previously presented) An integrated paper of claim 1 wherein said active
- 2 agents have an average particle size of less than or equal to about 1 micron to
- 3 about 5000 microns.
- 1 5. (Original) An integrated paper of claim 1 wherein the average diameter of
- 2 said fibrillated fibers is less than an average particle size of said active agents.
- 1 6. (Original) An integrated paper of claim 1 further including binder fibers or
- 2 particles.
- 3
- 1 7. (Original) An integrated paper of claim 1 wherein said fibrillated fibers and
- 2 said active agents have different settling velocities such that said integrated paper
- 3 has an asymmetric structure when formed by wet-laid processes.
- 1 8. (Currently Amended) An integrated paper of claim 1 further including a
- 2 microbiological interception enhancing agent comprising a cationic material having
- 3 a counter ion associated therewith, which -when exposed to an aqueous
- 4 biologically active metal salt solution, forming forms a colloidal metal precipitate
- 5 that precipitates onto at least a portion of the surface of at least some said fibers
- 6 nanofibers and/or said active agentsagent.
- 1 9. (Previously presented) An integrated paper comprising of:

- a plurality of fibers fibrillated at a temperature greater than about 30°C, wherein
- 3 said fibrillated fibers have an average fiber diameter of less than about 400
- 4 nm; and
- 5 silver oxide particles admixed with said fibrillated fibers.
- 1 10. (Original) An integrated paper of claim 9 wherein the fibrillated fibers
- 2 comprise a liquid crystal polymer.
- 1 11. (Previously presented) An integrated paper comprising of:
- a plurality of fibers fibrillated at a temperature greater than about 30°C, wherein
- 3 said fibers have an average fiber diameter of less than about 400 nm; and
- 4 one or more acid neutralizing agents admixed with said fibrillated fibers;
- 5 wherein said integrated paper can withstand a hot and corrosive environment of a
- 6 lube oil filter, and wherein said one or more acid neutralizing agents comprises
- 7 magnesium oxide, magnesium hydroxide, calcium sulfonate, magnesium sulfonate,
- 8 calcium phenate, magnesium phenate, or combinations thereof.
- 1 12. (Original) An integrated paper of claim 11 further including binder fibers or
- 2 particles.
- 1 13. (Currently Amended) An integrated paper of claim 11 further comprising a
- 2 cationic material having a counter ion associated therewith, which when exposed
- 3 to an aqueous biologically active metal salt solution, forming forms a colloidal

- 4 metal precipitate that precipitates onto at least a portion of the surface of at least
- 5 some said fibers nanofibers and/or said active agents.
- 1 14. (Currently Amended) An integrated paper comprising of:
- a plurality of lyocell fibers fibrillated at a temperature greater than about
- 3 30°C300e, wherein said fibrillated lyocell fibers have an average fiber
- diameter of less than or equal to about 400 nm; and
- 5 activated carbon particles admixed with said fibrillated lyocell fibers, wherein said
- 6 integrated paper has a mean flow path of less than about 2 microns.
- 1 15. (Currently Amended) An integrated paper of claim 14 further including a
- 2 microbiological interception enhancing agent comprising a cationic material having
- 3 a counter ion associated therewith, which when exposed to an aqueous biologically
- 4 active metal salt solution, forming forms a colloidal metal precipitate that
- 5 precipitates onto at least a portion of the surface of at least some said fibers
- 6 nanofibers and/or said active agentsagent.
- 1 16. (Original) An integrated paper of claim 14 further including a heavy metal
- 2 reducing agent.
- 1 17. (Previously presented) An integrated paper of claim 16 wherein the heavy
- 2 metal reducing agent comprises particles of zeolite, silicate, or combinations thereof.

- 1 18. Original) An integrated paper of claim 14 further including an arsenic
- 2 reducing agent.
- 1 19. (Original) An integrated paper of claim 18 wherein the arsenic reducing
- 2 agent comprises particles of iron, oxides of manganese or iron, or combinations
- 3 thereof.
- 1 20. (Previously presented) An integrated paper comprising:
- a plurality of fibers having an average fiber diameter of less than about 1000
- 3 nm; and
- 4 a lead reducing agent admixed with said plurality of fibers;
- 5 wherein said integrated paper has a mean flow path of less than about 2 microns.
- 1 21. (Currently Amended) An integrated paper of claim 20 further including a
- 2 microbiological interception enhancing agent comprising a cationic material having
- 3 a counter ion associated therewith, which when exposed to an aqueous biologically
- 4 active metal salt solution, forming forms a colloidal metal precipitate that
- 5 precipitates onto at least a portion of the surface of at least some said fibers
- 6 nanofibers and/or said active agentsagent.
- 1 22. (Original) An integrated paper of claim 20 further including binder fibers or
- 2 particles.

- 1 23. (Currently Amended) An integrated paper of claim 22 further including a
- 2 microbiological interception enhancing agent comprising a cationic material having
- 3 a counter ion associated therewith, which -when exposed to an aqueous biologically
- 4 active metal salt solution, forming forms a colloidal metal precipitate that
- 5 precipitates onto at least a portion of the surface of at least some said fibers
- 6 nanofibers and/or said active agentsagent.
- 1 .24. (Currently Amended) An integrated paper of claim 20 further including a
- 2 carbon block, wherein said integrated paper is wrapped around the carbon block,
- 3 including a microbiological interception enhancing agent associated with said paper
- 4 and/or said block comprising a cationic material having a counter ion associated
- 5 therewith, which when exposed to an aqueous biologically active metal salt
- 6 solution, forming forms a colloidal metal precipitate that precipitates onto at least a
- 7 portion of the surface of at least some said fibersnanofibers, and/or said active
- 8 agentsagent, and/or said carbon block.
- 1 25-40. (Cancelled)
- 1 41. (Currently Amended) An integrated paper having active particles
- 2 immobilized therein, said integrated paper comprising of:
- a plurality of fibers fibrillated at a temperature greater than about 30°C, wherein
- 4 said fibrillated fibers have an average fiber diameter of less than about 1000
- 5 nm; and

active agents selected from the group consisting of metals, metal salts, metal 6 oxides, alumina, silicates, ceramics, zeolites, carbon, activated carbon, 7 diatomaceous earth, activated bauxite, fuller's earth, calcium sulfate, 8 titanium dioxide, magnesia, magnesium hydroxide, magnesium oxide, 9 manganese oxides, iron oxides, perlite, talc, clay, bone char, calcium 10 hydroxide, calcium salts, or combinations thereof; 11 wherein said integrated paper has a mean pore size of less than or equal to about 2 12 microns and includes a microbiological interception enhancing agent comprising a 13 cationic material having a counter ion associated therewith when exposed to an 14 aqueous biologically active metal salt solution, forming a colloidal metal precipitate 15 that precipitates onto at least a portion of the surface of at least some said fibers 16 nanofibers-and/or said active agents. 17

- 1 42. (Previously presented) The integrated paper of claim 41 where in said
- 2 colloidal metal precipitate includes a silver-amine-halide complex.
- 1 43. (Previously presented) The integrated paper of claim 41 where in said
- 2 fibrillated fibers have an average diameter of less than or equal to 250 nm and a
- 3 length of 1mm to about 8 mm.